




## PROJECT

PROJ-055-2018

Surface: 120 m<sup>2</sup>

Email: [info@benito.com](mailto:info@benito.com)

Telephone: +34 93 852 1000



# BENITO

–Playground Equipment





| Product                                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JK004B<br> | <b>Klasik 4</b><br>If you like wooden elements, the KLASIK collection is made for you. Playability, great challenges and colours for all.<br><br><a href="#">Data Sheet</a> <a href="#">Certificate</a>                                                                                                                                                                            |
| JFS07<br>  | <b>Bubu</b><br>Fun and educative spring swing for children. Made of resistant materials according to the EN1176 standard.<br><br><a href="#">Data Sheet</a> <a href="#">Certificate</a> <a href="#">Certificate Conformity</a>                                                                                                                                                     |
| JFS02<br>  | <b>Snoo</b><br><b>Panels, HDPE:</b> High-density polyethylene characterized by its resistance to chemical abrasives and unaffected by corrosion as it is a polymer. Due to its light, elastic nature, it offers high resistance to impact, making it very difficult to break.<br><br><a href="#">Data Sheet</a> <a href="#">Certificate</a> <a href="#">Certificate Conformity</a> |